

Going beyond towards the next 100 years!







EXCELLENT SILK FINISH:

Lavish and silky surface appearance.



White 1101	Swiss White 1107	Misty Beige 1146	Rose Water 1148	Rose White 1143
Pearl White 1102	Almond 1105	Brazil Nut 1147	Green Tinge 1113	Snow White 1111
Ivory 1104	Apricot White 1158	Dove White 1109	Blue Mist 1120	Lavender White 1110
Shell White 1103	Ivory Silk 1106	Ash White 1108	Pink Violet 1139	Ash Grey 1112

Premium Interior Emulsion

EXEMPLARY COVERAGE:

Unmatched spreading rate allows you to cover greater area per pack.







EXCELLENT WASHABILITY:

Common stains, marks and scuffs can be easily wiped away.





Astounding Colors Countless Possibilities

Imagination Unleashed

Prepare to unleash your imagination with Kansai Paint K-Spectrum. Just visualize and recreate the color of your choice by consulting with our paint specialists, who will also guide you on the proper painting techniques for your home. They will recreate the color of your choice with the advanced color creation technology of the K-Spectrum that can create a wide range of colors.

Delve deeper to explore the vast array of colors offered through K-Spectrum and accentuate your home by using a variety of painting techniques to get the best results.

Visualize. Recreate. Customize.



KANSAI GLOBAL NETWORK



















Kansai Premium Interior Emulsion is a superior acrylic based silk finish. This outstanding coating is tough, durable and offers superb coverage with excellent washability, making it ideal for all interior masonry surfaces.



Excellent Silk Finish: Lavish and silky surface appearance



Exemplary Coverage: Unmatched spreading rate allows you to cover greater area per pack



Excellent Washability: Common stains, marks and scuffs can be easily wiped away



Low Odor: Insignificant smell

Recommended Areas

Excellent for high traffic interior areas, such as bedrooms, hallways, living rooms and dining rooms.

Product Information

Drying Time: 2-3 hours between coats **Coverage:** 17-19 m²/Lit/coat

Thinner: Water

Dilution: Roller: 15-20%

Brush: 50-75% Spray: 25% No. of Coats: 2 or more Cleaning:

Clean all equipment with water

Application Conditions

Temperature: 10-35°C

Humidity: Less than 80%

How to Apply



This product can be applied evenly with the help of a paint roller



Brush:

This product can be applied quickly with the help of a paint brush.



Spray:

Paint sprayers can be used to ensure an optimal finish and coverage.



Engineering Coatings

Our industrial and protective product range is designed to meet a diverse range of customer requirments.



Automotive Coatings

Our products in the Automotive and Refinish businesses meet the most exacting standards for rust prevention, longevity, durability and color.



Traffic Safety Solutions

Our product range includes pavement markings, road studs, glass beads, signs, dividers, reflectors.



Construction Chemicals

Our product range consists of admixtures, repair mortars, grouts, flooring and waterproofing.







Kansai Paint (Pvt.) Limited.

Head Office: 11-CCA, Phase-V, DHA, Lahore, Pakistan.

Plant: Plot # 401-403 Punjab Industrial Estate, Sundar, Lahore, Pakistan.

Toll Free Number: © 0800-526-724 kansaipaint.com.pk kansaipaintpakistan